2019.03.08

- 1. Firmware Version: 01.31.00.60
- 2. Camera Firmware Version: 01.15.00.67
- 3. Gimbal Firmware Version: 01.31.01.86
- 4. XT Adapter Version: 01.00.00.13
- 5. DJI Pilot App Android Version: 1.2

Major Updates

1. Compatible with Matrice 200 Series V2 aircrafts. Please attach the Zenmuse XT with the XT Adapter to the Gimbal Connector I, and use the DJI Assistant 2 for Matrice to update the XT Adapter.

- 1. This firmware upgrade is for the Zenmuse XT gimbal and camera only. It cannot be used to update the aircraft or the Intelligent Flight Battery.
- The Zenmuse XT must be connected to the Inspire 1, Matrice 100, Matrice 600, Matrice 200 and Matrice 200 Series V2 before starting this update, which requires a Zenmuse XT Gimbal Adapter.
- 3. Ensure that there is no other firmware package on the Micro SD card and that the battery level is above 50%.
- 4. It will take approximately 5 minutes to upgrade the firmware. The aircraft will beep when the upgrade is complete.

2018.03.30

- 1. Firmware Version: v1.31.0.00
- 2. DJI Pilot App Android Version: v0.5.1
- 3. DJI GO App iOS Version: V3.1.30
- 4. DJI GO App Android Version: V3.1.28

Major Updates

- 1. Fixed an issue where users can't take photos when using OSDK.
- 2. Fixed an issue where the photo aperture displays incorrectly in EXIF.
- 3. Optimized gimbal performance.

- 1. This firmware upgrade is for the Zenmuse XT gimbal and camera only. It cannot be used to update the aircraft or the Intelligent Flight Battery.
- 2. The Zenmuse XT must be connected to the Inspire I, Matrice 100, Matrice 600, and Matrice 200 before starting this update, which requires a Zenmuse XT Gimbal Adapter.
- 3. Ensure that there is no other firmware package on the Micro SD card and that the battery level is above 50%.
- 4. It will take approximately 5 minutes to upgrade the firmware. The aircraft will beep when the upgrade is complete.

2017.06.28

- 1. Firmware Version: v1.30.0.10
- 2. DJI Pilot App Android Version: v0.3.1

Major Updates

Added support for the Matrice 200.

- 1. This firmware upgrade is for the Zenmuse XT gimbal and camera only. It cannot be used to update the aircraft or the Intelligent Flight Battery.
- 2. The Zenmuse XT must be connected to the Matrice 200 before starting this update, which requires a Zenmuse XT Gimbal Adapter.
- 3. The DJI Pilot app is required when using the Zenmuse XT with the Matrice 200. DJI GO 4 is not supported. Currently, only CrystalSky monitors and Android tablets support the Matrice 200.
- 4. Only newer Zenmuse XT models are compatible with the Matrice 200. A replacement may be required if your XT model isn't supported. Please contact DJI Support to learn more about various XT model compatibility.
- 5. Ensure that there is no other firmware package on the Micro SD card and that the battery level is above 50%.
- 6. It will take approximately 5 minutes to upgrade the firmware. The aircraft will beep when the upgrade is complete.

2016.12.22

- 1. Firmware Version: v1.24.0.10
- 2. DJI GO App iOS Version: v3.1.1
- 3. DJI GO App Android Version: v3.1.1

Major Updates

- 1. Added shutter and video recording ports for the DJI SDK.
- 2. Optimized photo metadata.

- 1. The Zenmuse XT must be mounted on the Inspire 1, Matrice 100 or Matrice 600 before starting the firmware upgrade.
- 2. This firmware upgrade is for the Zenmuse XT gimbal and camera only. It cannot be used to update the aircraft or the Intelligent Flight Battery.
- 3. Ensure that there is no other firmware package on the Micro SD card and that the battery level is above 50%.
- 4. It will take approximately 5 minutes to upgrade the firmware. The aircraft will beep when the upgrade is complete.

2016.09.27

- 1. Firmware Version: v1.22.0.00
- 2. DJI GO App iOS Version: v2.9.2
- 3. DJI GO App Android Version: v2.9.1

Major Updates

Fixed issue of the camera being unable to take interval photos.

- 1. The Zenmuse XT must be mounted on the Inspire 1, Matrice 100 or Matrice 600 before starting the firmware upgrade.
- 2. This firmware upgrade is for the Zenmuse XT gimbal and camera only. It cannot be used to update the aircraft or the Intelligent Flight Battery.
- 3. Ensure that there is no other firmware package on the Micro SD card and that the battery level is above 50%.
- 4. It will take approximately 5 minutes to upgrade the firmware. The aircraft will beep when the upgrade is complete.

2016.07.26

- 1. Firmware Version: v1.20.0.00
- 2. DJI GO App iOS Version: v2.8.5
- 3. DJI GO App Android Version: v2.8.3

Major Updates

- 1. Temperature resolution of TIFF images will now change automatically according to the gain mode.
- 2. Re-enabled TIFF format image capture on for the Zenmuse XT-Performance.
- 3. Improved GPS metadata accuracy.

- 1. The Zenmuse XT must be mounted on the Inspire 1 or Matrice 100 before starting the firmware upgrade.
- 2. This firmware upgrade is for the Zenmuse XT gimbal and camera only. It cannot be used to update the aircraft or the Intelligent Flight Battery.
- 3. Ensure that there is no other firmware package on the Micro SD card and that the battery level is above 50%.
- 4. It will take approximately 5 minutes to upgrade the firmware. The aircraft will beep when the upgrade is complete.

2016.06.02

- 1. Firmware Version: v1.17.1.80
- 2. DJI GO App iOS Version: v2.8.3
- 3. DJI GO App Android Version: v2.8.1

Major Updates

- 1. Radiometric JPEG format photos can be viewed by FLIR Tools.
- 2. Optimized the video playback function.

- 1. The Zenmuse XT must be mounted on the Inspire 1 or Matrice 100 before starting firmware upgrade.
- 2. This firmware upgrade is for the Zenmuse XT gimbal and camera only. It cannot be used to update the aircraft or the Intelligent Flight Battery.
- 3. Ensure that there is no other firmware package on the Micro SD card and that the battery level is above 50%.
- 4. It will take approximately 5 minutes to upgrade the firmware. The aircraft will beep when the upgrade is complete.

2016.05.16

- 1. Firmware Version: v1.16.1.70
- 2. DJI GO App iOS Version: v2.8.2
- 3. DJI GO App Android Version: v2.8.1

Major Updates

- 1. Replaced the TIFF photo format with the Radiometric JPEG format for improved thermal imaging analysis.
- 2. Improved video recording so that accidentally suspended video recordings can now be played back normally, even if the camera is powered off while recording.

- 1. The Zenmuse XT must be mounted on the Inspire 1 or Matrice 100 before starting firmware upgrade.
- 2. This firmware upgrade is for the Zenmuse XT gimbal and camera only. It cannot be used to update the aircraft or the Intelligent Flight Battery.
- 3. Ensure that there is no other firmware package on the Micro SD card and that the battery level is above 50%.
- 4. It will take approximately 5 minutes to upgrade the firmware. The aircraft will beep when the upgrade is complete.

2016.04.25

- 1. Firmware Version: v1.15.1.60
- 2. DJI GO App iOS Version: v2.8.0
- 3. DJI GO App Android Version: v2.8.0

Major Updates

- 1. Added options for FFC calibration. Now you can choose manual or auto FFC calibration.
- 2. Fixed the issue of incomplete video files resulting from turning off the Intelligent Flight Battery while recording video.
- 3. Improved the accuracy of GPS data tagged to recorded images.

- 1. The Zenmuse XT must be mounted on the Inspire 1 or Matrice 100 for firmware upgrading.
- 2. This firmware upgrade is for the Zenmuse XT gimbal and camera only. It cannot be used to upgrade the aircraft or the Intelligent Flight Battery.
- 3. Ensure there is no other firmware package on the Micro SD card and that the battery level is above 50%.
- 4. It will take approximately 5 minutes to upgrade the firmware. The aircraft will beep when the upgrade is complete.

2016.03.28

- 1. Firmware Version: v1.14.1.50
- 2. DJI GO App iOS Version: v2.7.1
- 3. DJI GO App Android Version: v2.7.1

Major Updates

- 1. Improved stability when taking photos in TIFF format.
- 2. Fixed the issue of the DJI GO app taking a long time to show previews after changing video format.
- 3. Increased speed when viewing photos in playback mode.

- 1. The Zenmuse XT must be mounted on the Inspire 1 or Matrice 100 to upgrade to this firmware version.
- 2. The firmware is used to update the Zenmuse XT gimbal and camera. It cannot be used to update the aircraft or Intelligent Flight Battery.
- 3. Ensure there is no other firmware package on the Micro SD card and that the battery level is above 50%.
- 4. It will take approximately 5 minutes to update the firmware. The aircraft will beep when the upgrade is complete.